

# LEADERS

— IN QUALITY —

# LEADERS

IN DEPENDABILITY



## Residential & Commercial

Flame Retardant (FR) PVC Insulated  
Industrial Cables  
Flamegard - Flame Retardant Low Smoke  
(FR-LSH) Industrial Cables  
Halogard - Halogen Free Flame Retardant  
(HFFR) Industrial Cables  
Flexible Cables Single Core

## Communication Cables

Co-axial Cables  
Telephone Cables  
CCTV Cables  
Speaker Cables  
LAN Cables  
Optic Fibre Cables (HSN - 9001)

## Agriculture

3 Core Flat Cables  
PVC Insulated Winding Wires

## Automobile/Solar Power

Auto Cables  
Solar Cables

(HSN Code : 8544)



# Residential & Commercial



List Price wef. 13 June 2024



High grade  
99.97% pure bare  
copper conductor



Abrasion resistant  
grade sheath  
material



Long life &  
highly durable  
cables

# Flame Retardant (FR) PVC Insulated Industrial Cables



List Price wef. 13 June 2024

## FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

### GOLD PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10302	0.75	1,295	20
10303	1.00	1,795	20
10304	1.50	2,630	12
10305	2.50	4,170	12
10306	4.00	6,085	8
10307	6.00	9,095	4

### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10312	0.75	1,240	20
10313	1.00	1,615	20
10314	1.50	2,335	12
10315	2.50	3,795	12
10316	4.00	5,870	8
10317	6.00	8,795	4

### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	3,065	8
10314	1.50	4,490	6
10315	2.50	7,305	4
10306016	4.00	11,345	4
10307016	6.00	17,005	4

### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	765	30
10314	1.50	1,125	24
10315	2.50	1,825	24
10316	4.00	2,835	12
10317	6.00	4,250	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above  
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

# Flamegard Flame Retardant Low Smoke(FR-LSH) Industrial Cables



List Price wef. 13 June 2024

## FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10112013	0.75	1,270	20
10113	1.00	1,655	20
10114	1.50	2,395	12
10115	2.50	3,880	12
10106	4.00	6,015	8
10107	6.00	9,010	4

## FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10112016	0.75	2,380	8
10113016	1.00	3,100	8
10114016	1.50	4,535	6
10115016	2.50	7,380	4
10106016	4.00	11,460	4
10107016	6.00	17,175	4

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	775	30
10114	1.50	1,135	24
10115	2.50	1,845	24
10106	4.00	2,865	12
10107	6.00	4,295	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.  
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

# Halogen Free Flame Retardant (HFFR) Industrial Cables



List Price wef. 13 June 2024

## HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

### HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area [sq.mm.]	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,305	20
10403	1.00	1,695	20
10404	1.50	2,450	12
10405	2.50	3,985	12

Product Code	Conductor Area [sq.mm.]	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	6,160	8
10407	6.00	9,235	4

### HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area [sq.mm.]	LP per coil Rs.	Length per coil	No. of Coils packed in a Master Carton
10413016	1.00	3,285	180	8
10414016	1.50	4,765	180	6
10415016	2.50	7,770	180	4
10406016	4.00	12,030	180	4
10407016	6.00	18,055	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.  
 COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

# Flexible Cables



## FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

**SINGLE CORE (Unsheathed):** Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
14001	0.50	910
14002	0.75	1,330
14003	1.00	1,735

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
14104	1.50	2,520
14105	2.50	4,110
14206	4.00	6,370

## SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14207	6	9,555
14208	10	16,605
14209	16	25,375
14210	25	39,665
14211	35	55,395
14212	50	78,545

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14513	70	1,14,490
14514	95*	1,51,420
14515	120*	1,94,485
14516	150*	2,40,860
14517	185*	2,97,705
14518	240*	3,91,435

The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

## FLEXIBLE CABLES - MULTICORE

**FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010**

## TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17002	0.50	2,390
17002	0.75	3,290
17002	1.00	4,110

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17102	1.50	5,575
17102	2.50	9,020
17202	4.00	14,105

## THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17003	0.50	3,230
17003	0.75	4,500
17003	1.00	5,695

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17103	1.50	7,920
17103	2.50	12,690
17203	4.00	20,110

## FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17004	0.50	4,115
17004	0.75	5,750
17004	1.00	7,360

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17104	1.50	10,390
17104	2.50	16,815
17204	4.00	26,540

Packaging : Cables shall be supplied in Standard length of 100 M

**SIX TO NINETEEN CORES\*:** The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

## SIX CORE\* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17006	0.50	6,100
17006	0.75	8,750
17006	1.00	11,085

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17106	1.50	15,650
17106	2.50	25,365
17206	4.00	40,225

## SEVEN CORES (1+6)\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	7,130
17008	0.75	10,035
17008	1.00	12,840

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17107	1.50	18,205
17107	2.50	29,485
17207	4.00	46,575

## EIGHT CORES\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	8,020
17008	0.75	11,355
17008	1.00	14,510

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17108	1.50	20,725
17108	2.50	33,650
17208	4.00	53,065

## TEN CORES (2+8)\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17010	0.50	9,745
17010	0.75	14,020
17010	1.00	17,950

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17110	1.50	25,515
17110	2.50	41,545
17210	4.00	65,835

## TWELVE CORES (3+9)\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17012	0.50	11,540
17012	0.75	16,635
17012	1.00	21,345

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17112	1.50	30,360
17112	2.50	49,760
17212	4.00	78,615

**FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.**

## FOURTEEN CORES: (4+10)\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17014	0.50	13,475
17014	0.75	19,260
17014	1.00	24,750

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17114	1.50	35,475
17114	2.50	58,000
17214	4.00	91,310

## SIXTEEN CORES (8 +11)\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17016	0.50	15,280
17016	0.75	22,040
17016	1.00	28,310

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17116	1.50	40,395
17116	2.50	66,040
17216	4.00	1,04,475

## NINETEEN CORES (1+6 + 12)\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17019	0.50	17,900
17019	0.75	25,875
17019	1.00	33,485

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17119	1.50	47,750
17119	2.50	77,700
17219	4.00	1,23,355

The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing: Cables shall be supplied in Standard length of 100 M

## FLEXIBLE CABLES - MULTICORE HEAVY DUTY

**FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010**

### 3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203074	6	29,870
17203084	10	51,245
17203094	16*	79,625
17203104	25*	1,23,065
17203114	35*	1,72,535


Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203124	50*	2,47,385
17503134	70*	3,49,805
17503144	95*	4,61,720
17503154	120*	6,16,690

### 4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204074	6	39,225
17204084	10	67,105
17204094	16*	1,03,830
17204104	25*	1,62,980
17204114	35*	2,27,820

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204124	50*	3,24,580
17504134	70*	4,62,740
17504144	95*	6,11,855
17504154	120*	7,99,460

The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing : Cables shall be supplied in Standard length of 100 M



# Communication Cables



High grade  
99.97% pure bare  
copper conductor




Abrasion resistant  
grade sheath  
material



Long life &  
highly durable  
cables



# Coaxial Cables – Jelly



List Price wef. 13 June 2024

## COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,770	5,399
RG 6 CU	2,470	7,534
RG 11 CU	5,650	17,233

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,495	4,560
RG 11 CCS	3,005	9,165

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,455	10,538

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL. Wire braid, Jelly flooded and PVC Jacketing in Black colour.

# CCTV Cable



Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,075
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	10,421
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,355
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	11,370
65916013	RG59 JF XI +6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,940
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	13,352
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	1,755
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	3,465
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	1,960
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	3,890
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,005
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	3,970
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,255
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,445



# Telephone Cable

## TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHYLENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	825
31050023	2 pair	1,475
31050033	3 pair	2,180
31050043	4 pair	2,880
31050053	5 pair	3,585

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	6,975
31050203	20 pair	13,340
31050503	50 pair	32,730
31051001	100 pair	63,945

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen index Fire Retardent PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	580
31040023	2 pair	1,030
31040033	3 pair	1,515
31040043	4 pair	1,955
31040053	5 pair	2,410

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,845
31040203	20 pair	9,145
31040503	50 pair	22,150
31041001	100 pair	42,550


Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.



# LAN Cable

Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	9,310
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	11,510
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	11,510
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	11,510
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	11,510
32925048	0.5x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	6,485
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,655
32955048	0.5x4P UTP CAT-6 CCA LAN 305 X 2	305 Mtr	8,035
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	15,924
32245044	0.5 x4P UTP CAT6 LAN *GRY* 100M X 2	100 Mtr	3,774
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	14,578
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	19,091




## Speaker Cable

List Price wef. 13 June 2024

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM [Transparent]	6	100 Mtr	1,845
60325024	Speaker Cable 0.75 SQMM [Transparent]	6	100 Mtr	2,705
60326024	Speaker Cable 1 SQMM [Transparent]	6	100 Mtr	3,340
60327024	Speaker Cable 1.5 SQMM [Transparent]	6	100 Mtr	4,980
60328024	Speaker Cable 2.0 SQMM [Transparent]	6	100 Mtr	7,745
60329024	Speaker Cable 2.5 SQMM [Transparent]100M	6	100 Mtr	8,290
60324022	Speaker Cable 0.50 SQ MM [Transparent] 25 M	24	25 Mtr	460
60325022	Speaker Cable 0.75 SQ MM [Transparent] 25 M	24	25 Mtr	675
60326022	Speaker Cable 1.00 SQ MM [Transparent] 25 M	24	25 Mtr	835
60327022	Speaker Cable 1.50 SQ MM [Transparent] 25 M	24	25 Mtr	1,245

PACKING : Available in 100 M coils AND 25 M coil



# Agriculture



High grade  
99.97% pure bare  
copper conductor



Abrasion resistant  
grade sheath  
material



Long life &  
highly durable  
cables

# 3 Core Flat Cable



## 3 CORE FLAT CABLE

**FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010**

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	8,645
13713051	2.50	13,400
13703061	4.00	20,010
13803071	6.00	29,575
13803081	10.00	51,455
13803091	16.00	79,650

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	1,24,555
13803111	35.00	1,72,470
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

**FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS**

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	9,077
13863059	2.50	14,070

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	21,011

**FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS**

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	31,054
13823089	10.00	54,028
13823099	16.00	83,633

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	1,30,783
13823119	35.00	1,81,094

## 3 CORE FLAT CCA CABLES

**FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS**

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	18,300
13853089	14	140/.36	30,400
13853099	23	226/.36	48,310

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	71,250
13853119	50	594/.36	98,210

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as \* are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

# PVC Insulated Winding Wires




List Price wef. 13 June 2024

## PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS  
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	520	1000	6
13000602	0.60	520	500	6
13000701	0.70	710	1000	6
13000702	0.70	710	500	6
13000801	0.80	915	1000	6
13000802	0.80	915	500	6
13000901	0.90	1,150	1000	5
13000902	0.90	1,150	500	6
13001001	1.00	1,410	1000	5
13001002	1.00	1,410	500	6
13001101	1.10	1,695	1000	4
13001102	1.10	1,695	500	6
13001201	1.20	2,010	1000	4
13001202	1.20	2,010	500	6
13001301	1.30	2,350	1000	3
13001302	1.30	2,350	500	6
13001402	1.40	2,735	500	5
13001502	1.50	3,130	500	5
13001602	1.60	3,550	500	4
13001702	1.70	4,000	500	4
13001802	1.80	4,485	500	4
13001902	1.90	4,990	500	3
13002002	2.00	5,560	500	3
13002102	2.10	6,120	500	3
13002202	2.20	6,705	500	2
13002302	2.30	7,315	500	2
13002402	2.40	7,975	500	2
13002502	2.50	8,645	500	2
13002602	2.60	9,340	500	2
13002702	2.70	10,055	500	2
13002804	2.80*	10,835	250	3
13003004	3.00*	12,410	250	2

NOTE : The items marked as \* are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.  
PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



# Automobile / Solar Power



List Price wef. 13 June 2024



High thermal rating to withstand extreme temperatures



Excellent resistant to heat pressure



Long life & highly durable cables

# Auto Battery Cables



List Price wef. 13 June 2024

## AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	6,340	25,375
22210	354/.3	25	9,915	39,665
22211	495/.3	35	13,850	55,395
22212	703/.3	50	19,635	78,545
22513	360/.5	70	28,625	1,14,490
22514	475/.5 *	95	37,855	1,51,420
22515	608/.5 *	120	48,620	1,94,485
22516	750/.5 *	150	60,215	2,40,860
22517	925/.5 *	185	74,425	2,97,705
22518	1221/.5 *	240	97,860	3,91,435

## PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	860	3,445

## 105° CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	220	870
2302	24/.21	0.75	330	1,305
2303	32/.21	1.00	435	1,730
2304	30/.26	1.50	640	2,540
2305	50/.26	2.50	1,055	4,215
2306	56/.31	4.00	1,750	6,985
2307	84/.31	6.00	2,595	10,375

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE: The items marked as \* are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.



# Solar Cables

List Price wef. 13 June 2024





## SOLAR DC CABLE

**FINOLEX ANNEALED TIN COPPER CONDUCTOR, SINGLE CORE, MULTISTRAND, CROSS LINKED, ZERO HALOGEN LOW SMOKE INSULATION AND SHEATHING, HEAT RESISTANT UP TO 1200 C AND UV RESISTANT SOLAR DC CABLE AS PER TUV 2 Pfg 1169 / 08.2007**

**Product Code	Conductor Area (sq.mm.)	List Price per 100 Mtr (Rs.)	Packing
16906011	4	8,335	STANDARD LENGTH OF 500 MTR
16907011	6	11,750	STANDARD LENGTH OF 300 MTR

NOTES	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	<p>The full product code is of 8 digits. For example :</p> <p>22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m</p> <p>22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.</p> <p>a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor.</p> <p>b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.</p> <p>c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=0rn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.</p> <p>d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.</p>
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: [www.finolex.com](http://www.finolex.com) |  /Finolexcables |  /Finolexcables |  /Finolex.Cables



**Finolex**  
Cables Limited

AN IS/ISO 9001:2015 CERTIFIED COMPANY

26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.  
Tel: 020-27506200 | Fax: 020-27472239  
Visit us at: [www.finolex.com](http://www.finolex.com) | Email: [sales@finolex.com](mailto:sales@finolex.com)  
CIN: L31300MH1967PLC016531

**Finolex gets people together**

For technical literature please contact our Branch Offices:

**Ahmedabad:** 7926584637 / 26575639 | **Bengaluru:** 7022979589 |  
**Bhubaneswar:** 0674-2971922 / 2971188 | **Chennai:** 044-28269322 /  
 28231514 | **Chandigarh:** 0172-4064047 | **Cochin:** 9388689670 |  
**Coimbatore:** 0422-2330997 | **Dharwad:** 8362746440 | **Goa:** 8322782003 /  
 2782065 | **Gurgaon:** 9896763770 | **Guwahati:** 9864027312 / 8135029423  
**Indore:** 7314911723 | **Jaipur:** 9929111411 | **Kolkata:** 033-24192494 /  
 24192495 | **Lucknow:** 052-24035031 | **Mumbai:** 022-22820062 | **New**  
**Delhi:** 011-23324748 / 23353160 | **Patna:** 9934107999 | **Pune:**  
 020-27506200 | **Raipur:** 7008336581 | **Ranchi:** 8101383841 |  
**Secunderabad:** 040-27811161 | **Uttarakhand:** 9760045003 | **Vadodara:**  
 9879555568 | **Vijayawada:** 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.